Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	661	((380/201) or (380/37) or (380/228) or (380/229)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:23
L2	581	L1 AND (encrypt$4 enciph$8 cipher$8 encod$3)	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:24
L3	497	l2 and key$1	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:29
L4	7147	key$1 near3 (block$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:25
L6	19975	(decrypt$4 decipher$8 decod$3) near3 (second (second$3 near key$1) (slave near key$1) (another near key$1))	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:02
L7	27382	(decrypt$4 decipher$8 decod$3) near3 (first blocks (first near key$1) (initial near key$1) (master near key$1) (primary near key$1) (main near key$1))	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:03
L8	42	l3 and l4 and l6 and l7	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:40
L9	3	l8 and dumm$3	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:29
L10	330	l4 and l6 and l7	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:40
L11	341	(decrypt$4 decipher$8 decod$3) near3 (dummy)	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:45
L12	1	l10 and l11	USPAT; IBM_TDB	OR	OFF	2005/08/15 13:40
L13	11963	(decrypt$4 decipher$8 decod$3) near3 (program$3 software$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:01
L14	18553	(decrypt$4 decipher$8 decod$3) near3 (block$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:02
L15	2559	l13 and l14	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:02
L16	621	(decrypt$4 decipher$8 decod$3) near3 ((cipher near key$1) (first near key$1) (initial near key$1) (master near key$1) (primary near key$1) (main near key$1))	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:05
L17	6891	(decrypt$4 decipher$8 decod$3 cipher$1) near2 (key$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:07
L18	22400	(second another slave next) near3 (key$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:40
L19	62	l15 and l16	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:15

L20	345	(decrypt$4 decipher$8 decod$3) near3 (dummy decoy$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:15
L21	2	l19 and l20	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:08
L22	184	l15 and l17 and l18	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:15
L23	631	(decrypt$4 decipher$8 decod$3) near6 (dummy decoy$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:15
L26	6	l22 and l23	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:20
L27	143677	(analy$8 determin$6 evaluat$4 problem$6) near3 (program$3 software$1 application$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:26
L28	1536	(dummy (no$1 near function$3) (non-function$3) stub$1) near2 (block$1 decrypt$4 decipher$8 decod$3)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:39
L29	163	l27 and l28	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:39
L30	10	l29 and l17	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:30
L31	2805	(dummy (no$1 near function$3) (non-function$3) stub$1) near4 (block$1 decrypt$4 decipher$8 decod$3)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:39
L32	342	l27 and l31	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:40
L33	26100	(second another slave next cipher$8 decipher$8 decrypt$4) near3 (key$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:40
L34	28	l32 and l33	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:40
L35	18	l34 not l30	USPAT; IBM_TDB	OR	OFF	2005/08/15 14:41

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3283	((713/161) or (713/165) or (713/171) or (713/200) or (713/201) or (713/187)).CCLS.	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:00
L3	1237	(second$3 another$1 other$1) near3 (cipher$8 encipher$8 encrypt$4) near3 key$1	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:03
L4	287	l2 and l3	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:03
L5	11	l4 and dummy	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:10
L6	68	(decrypt$4 decipher$8 decod$4) near3 (dummy decoy) near3 (data block$1 unit$1)	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:09
L7	9	l6 and key$1	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:11
L8	9	l7 and (decrypt$4 decipher$8 decod$4)	USPAT; IBM_TDB	OR	OFF	2005/08/15 15:11